

STELLA MARIS COLLEGE (AUTONOMOUS) CHENNAI-86
(For candidates admitted during the academic year 2019-20 and thereafter)

SUBJECT CODE: 19CH/PE/PM15

M. Sc. DEGREE EXAMINATION, APRIL 2021
BRANCH IV- CHEMISTRY
SECOND SEMESTER

COURSE: MAJOR ELECTIVE

PAPER: POLYMER MATERIALS AND APPLICATIONS

TIME: 90 MINUTES

MAX MARKS: 50

SECTION A

Answer all the questions

(11 X 1 = 11marks)

I Fill in the blanks

- 1 The ratio of material relaxation time to the time of experimental observation is called _____.
- 2 The property exhibited by liquid crystals which is similar to solids is _____
- 3 Consider samples of Polypropylene A, B and C with degree of polymerisation 300, 980 and 2000 respectively. Among the three polymers the one with high melt viscosity is _____.

II Match the following

4	Nitrobenzene	A	Anionic Polymerisation
5	Living polymer	B	Coordination Polymerisation
6	FTIR Spectroscopy	C	Inhibitor
7	Dynamic Mechanical Analysis	D	Degradation of polymer
8	Diethyl Aluminium Chloride	E	Polymer softening
		F	Phase Changes

III Answer in a sentence or two

- 9 What is the polydispersity index of starch obtained from a plant source?
- 10 What is Auto acceleration in a polymerisation process?
- 11 Of the polymers - Isotactic and Atactic polypropylene, which is more crystalline and why?

SECTION – B

Answer any three questions

(3 x 8 =24 marks)

12. With the help of a graph, explain (5+3)
- (a) Stress Strain relationship in a viscoelastic system
 - (b) Creep and stress relaxation
13. Distinguish between Isotactic, Syndiotactic and Atactic (8)
Polymethylmethacrylate using a proton NMR technique.
14. Explain the use of the following in determination of molecular weight of a (4+4)
polymer (a) Chromatography (b) Viscosity
15. Give reasons for the following (8)
- (a) Polymers made from bulk polymerisation method can be directly used in moulds.
 - (b) Viscous polymers are provided with a working zone in the extrusion machine.
 - (c) The glass transition temperature of polybutadiene is greater than polyethylene.
 - (d) Ortho phthalates when added to polyvinylchloride reduces its crystallinity

SECTION – C

Answer any one question

(15 x 1 =15 marks)

16. (a) Show that for a free radical polymerisation reaction, the rate of (7)
polymerisation is directly proportional to the concentration of monomer.
- (b) (i) Give any two significant properties of hydrogels. (4)
 - (ii) Explain Biodegradability of a polymer (4)
17. (a) Suggest additives to be added to a polymer to incorporate the following (8)
properties. Give an example and explain their function.
- (i) To improve heat resistance of a polymer
 - (ii) To prevent the degradation of polymers during storage
 - (iii) To increase electrical conductivity of a polymer
 - (iv) To protect the polymer from fire.
- (b) (i) Estimate the solubility parameter for polyisobutylene at 25 °C. Given (5)
density = 0.924 g/cm³. The group molar attraction constant of -CH₂ –
and -C(CH₃)₃ are 280 and 840 (cal.cm³/mol)^{1/2} respectively.
- (ii) The solubility of amorphous polymer only can be understood using the (2)
Hildebrand solubility parameter. Explain.
